# MARBLECAST

TECH SHEET COMPACT | CUBE BASIN



#### **Compact Collection** Cube Basin

Washbasin in white cultured marble.

Dimensions of the top, position of the tap and fascia can be changed.



### Description

White cultured marble square washbasin with minimal edging creates a smart solution to small space living. Cube basins come in a solid Cotton White, and textured Evening Shadow (Light Grey), Slate Grey (Mid-Grey), Natural and Pigeon.

Available both as over counter and suspended with its dedicated fixing wall set. Basins can be made as a single, double or multiple units.

### **Finishes**



www.marblecast.co.za



Slate Grey



Natural



Pigeon

Marblecast Copyright 2020 - Page 1



#### **Internal Bowl Size**

Cube S: L 320 | W 315 | H 70 Cube M: L 395 | W 360 | H 100

**External Dimension Ranges** 

Length 370 | 445

Width 365 | 410

Fascia 30 - 200



Applications showcasing single | multiple basin units.



**Cube Single Basin** 



**Cube Single Basin** 



**Cube Double Basin** 




**Cube Multiple Basin** 



Single Unit Compact, Single Unit Centred, Single unit Off-Centre, Double Unit, Multiple Unit of each size.

(3D line drawings)




D

- A Single Basin Compact
- B Single Basin Off-centre with right counter
- C Triple Basin Compact
- D Double Basin Compact



Installation Guidelines

Advised heights: Top of basin: 900mm AFFL Bottle trap wall connection: 630-695mm AFFL Wall taps: 1030mm AFFL



# MARBLECAST



## Material & Care Tips

Marblecast vanity basins and shower trays are made from a mixture of crushed marble and resin.

We use a ratio of 80% marble and 20% resin.

The material is mixed together and a small amount of catalyst is added.

The catalyst reacts with the resin and ensures that the resin polymerizes and hardens into a hard, strong mass.

This mass is then moulded into highly durable bathroom ware.

The product has been polished to a high gloss.

Clean with a soft cloth or sponge using soap or mild detergent and warm water.

The use of abrasive pads or chemical abrasives will dull the product over time.

The thermostat in the hot water cylinder should be set at 60-65 degrees Celsius.

It is recommended to first run cold water into the bowl with a plug followed by the hot water. This will allow the marble to warm up slowly and ensure the longevity and attractiveness of the product.

Stains can be removed by hand with a white polishing compound.

